

CONC R50 SP 40 W 230 V E14

CONCENTRA SPOT R50 | Incandescent lamps with reflector R50 for accent lighting



Accent lighting



Technical data

Electrical data

Rated wattage	40 W
Nominal wattage	40 W
Nominal voltage	230 V


Light technical data


Luminous intensity	410 cd
Beam angle	30 °
Starting time	0.0 s

Dimensions & weight

Diameter	50.0 mm
Overall length	85.0 mm
Mounting length	63.0 mm
Outer bulb	R50G







E14 IEC 7004-23

Product line drawing with letters

Base



E 14

Base



Colors & materials


Mercury-free	Yes
--------------	-----


Lifespan

Nominal lamp life time	1000 h
Rated lamp life time	1000 h

Additional product data

Base (standard designation)	E14





Beam angle

Luminous


distribution

Half

luminous

intensity

intensity



Luminous intensity distribution


Half

luminous

intensity

Max. luminous intensity





Luminous intensity distribution

Country specific categorizations



Logistical Data

Product code	Packaging unit (Pieces/Unit)	Dimensions (height x width x length)	Gross weight	Volume
4050300118482	Blister 2	101 mm x 62 mm x 140 mm	43.00 g	0.88 dm ³
4050300118499	Shipping carton box 20	149 mm x 141 mm x 321 mm	542.00 g	6.74 dm ³
4050300322315	Folding carton box 1	52 mm x 47 mm x 88 mm	25.50 g	0.22 dm ³
4050300175782	Bundle 5	156 mm x 90 mm x 148 mm	130.00 g	2.08 dm ³
4050300175799	Shipping carton box 25	263 mm x 105 mm x 265 mm	803.40 g	7.32 dm³
4050300322322	Shipping carton box 25	263 mm x 104 mm x 263 mm	819.25 g	7.19 dm³

Product datasheet



Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.